# 7-215-A for original aquatures



AR-50-71; Rev. 76

#### APPLICATION FOR RECORDS RETENTION SCHEDULE

OFFICE OF THE SECRETARY OF STATE DEPARTMENT OF ARCHIVES AND HISTORY

RECORDS MANAGEMENT DIVISION INSTRUCTIONS: See Publication No. 76-RM-1 for instructions on completing this form. Forward signed original to Department of Archives and History, Records Management Division, 330 Capitol Avenue, Atlanta, Georgia, 30334. Attention: Scheduling Section. FOR AGENCY USE 1. Agency Address FOR RECORDS MANAGEMENT USE Department of Human Resources **Application Date** Application Number Division of Physical Health 3-30-78 Community Tuberculosis Control Unit Date Received Application Number Date Completed Bldg. 512; Northwest Ga. Regional Hosp. MAR DHR 5-8 3 1 1978 APR 1 1 1978 Rome, Ga. 30161 2. Person to Contact **Working Title** Telephone Number Bonnie Green Administrative Aide GIST 231-6169 3. Action Requested 4. A Establish Retention Schedule; record will continue to accumulate. b. Dispose of present accumulation; no further accumulation anticipated. c. XX Amend Application No.71-154 162214 215 Check One: Change; S Supercede; Void 5. Records Series Title (followed by title used in office; if different) 4. Dates of Series Earliest Latest Tuberculosis Control Client Records (see attached listing) 1968 to date 8. Division and Office Function What is the function of the Division and the Office in which this record series is created? The Division of Physical Health provides direction, coordination and advocacy for multifaceted public health program responsive to changing disease patterns. To accomplish this purpose here are three major activities of the Division involved in providing health services to the citizens of Georgia; The Local Health Activity, the Family Health Activity and the Community Health Activity. The Community Tuberculosis Control Unit is one facet of the Community Health Activity whose function is the reduction of the incidence of tuberculosis infection through the treatment of persons who are able to infect others, and through the preventive treatment of noninfectious individuals who become infected. To accomplish these objectives, infected persons must be identified and evaluated and given preventive treatment if indicated; and persons who are suspected of having tuberculosis must be identified, evaluated and monitored to see if there is, in fact, infection or disease present. 7. Record Series Description This file contains the following documents (include form numbers and titles, if any): Attach samples of the file. Documents relating to: See Attached. included are: File is arranged: 8. Monthly Reference Rate How often are records referred to which are: 2: Seven to twelve months old \_\_\_ Thirteen to twenty-four months old One to six months old \_\_ twenty-five months and older 9. Annual Rate of Accumulation of Records \_\_\_\_\_; Legal-size drawers \_ Letter-size drawers ... ; Shelves \_\_\_\_; Other (specify)

		the same of the sa
YES NO 10. Questionnain		The second secon
a, is this the off	icial copy of the series?	
b. Does the serie	s contain confidential information requiring security handling?	If yes, cite law or regulation.
c. Is this a vital	record?	
	s have historical or long term research value?	
	two documents in the file make it necessary to keep the entire f scheduled separately?	ne for a long period, could these
f. is the informa	tion contained in this series ever published? If yes, attach coo	
g. is the information of the second of the s	copy.	summarized report?
	lication of this series in your office, or in another office or agen	icy?
	or a major portion of it! requiarly microfilmed?	
Retention Requirements	rd series result in a computer printout?  The following requires the series to be kept:	The state of the s
e. State Law b. Statute of limitation	years. d. Audit period years. e. Administrative n	years.
c. Federal law	years. f. Federal retention	
Attach copy or excert of	aws or regulations. Explain administrative need.	
		'의 '의 나는 것 같아 있다. 그 사람들은 것 같아 함께 생각 그는 사람들은 사람들은 사람들이 가는 모두 하는 것이다. 기계를 받는다.
2. Approved Disposition Ins	tructions This agency recommends that the file series be cut	t off at the end of each:
		. Ott 25 Die erich die 6861.
	☐ Calendar Year; ☐ Fiscal Year; ☐ Other	then,
	Calendar Year;  Fiscal Year; Other es areamonth(s)year(s); then ng area; holdyear(s); then	then,
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy.	es areamonth(s) year(s); then	then,
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then, then, then, then, then, the second sec
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy. ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then, then, the second
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy. ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then.
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy. ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy. ☐ Transfer to State Arch	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then,
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch ☐ Other (Specify)	month(s) year(s); then ng area; hold year(s); then rds Center; hold year(s); then	then,
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch ☐ Other (Specify)	month(s)year(s); then ng area; holdyear(s); then rds Center; holdyear(s); then ives for permanent retention.	then
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch ☐ Other (Specify)  These instructions apply to	month(s)	
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch ☐ Other (Specify)  These instructions apply to	month(s)	(Signature) Date
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy, ☐ Transfer to State Arch ☐ Other (Specify)  These instructions apply to	month(s)	Signature) Date A ML-RMO 3-30-78
Transfer to local holdi Transfer to State Reco Destroy. Transfer to State Arch Other (Specify)  These instructions apply to gency Head/Designee (Signa	month(s) year(s); then rds Center; hold year(s); then rives for permanent retention.  reture) Date Records Management Office  State Records Comment  State Recor	(Signature)  Date  3-30-78  mittee (Signature)  Date
☐ Transfer to local holdi ☐ Transfer to State Reco ☐ Destroy. ☐ Transfer to State Arch ☐ Other (Specify)	month(s)	(Signature)  Date  A NAL-RIW 3-30-78  mittee (Signature)  Date  4-7-78
Transfer to local holdi Transfer to State Reco Destroy. Transfer to State Arch Other (Specify)  These instructions apply to gency Head/Designee (Signal Commendations in para- raph 12 are approved.	month(s) year(s); then rds Center; hold year(s); then rives for permanent retention.  reture) Date Records Management Office  State Records Comment  State Recor	(Signature)  Date  A NAL-RIW 3-30-78  mittee (Signature)  Date  4-7-78
Transfer to local holdi Transfer to State Reco Destroy. Transfer to State Arch Other (Specify)  These instructions apply to gency Head/Designee (Signa Descriptions)  ecommendations in para- aph 12 are approved. If disapproved, attach letter	month(s)	Date  A NAL-RWO 3-30-7  mittee (Signature)  Date  4. (Signature)  Date  4. (Signature)  Date

. . .

## 77-215-A

Tuberculosis Control X-Ray Screening Files

Documents relating to determining if persons screened in an X-ray Clinic are infected or diseased with tuber-culosis.

Included are X-ray films from County X-ray Clinics and private physicians.

Files are arranged within two sections, positive and negative, thereunder by patient identifier.

#### ファー214-A

Tuberculosis Suspect Files
Documents relating to identifying
and locating persons suspected of
being infected with tuberculosis.

Included are Basic TB Service Record (PD 5.3; Interstate Reciprocal Notification of Disease (NCDC- HEW, HSM 4.337); TB Culture Identification; Weekly Laboratory Infectious Agent Report (3082); reference type material including correspondence, physician's memoranda and notes and similar and related information.

Files are arranged within two sections, post thereunder alphabetically by name.

### 77-162-A

<u>Tuberculosis Contact Files</u>

<u>Documents relating to identifying</u>

<u>contacts to diagnosed cases of infectious tuberculosis.</u>

Included are TB Interviewer's Sheet (DD 5.10); Preventive Treatment Roster and similar and related information.

Negative - Cut off file at the end of the calendar year; hold in current files area 3 years; then destroy.

Positive - Upon declaration the patient is inactive, place X-ray in the inactive file, hold 7 years in current files area then transfer to State Records Center, hold 8 years then destroy.

X-rays to be recycled according to current State guidelines.

#### Basic TB Service Record

<u>Negative</u> - Upon receipt of negative test results, place document in negative results area, cut off file at the end of each calendar year; hold in current files area 3 years; then destroy.

<u>Positive</u> - Upon receipt of positive test results, place document in positive results area, cut off file at the end of the calendar year, hold in current files area 7 years; then destroy.

Interstate Reciprocal Notification of Disease
Cut off file at the end of the calendar year,
hold in current files area 3 years; then destroy

TB Culture Identification
Positive - Place in TB Case File

Negative - Upon receipt of negative test results place document in negative results area, cut-off file at the end of each calendar year; hold in current files area 3 years; then destroy.

Weekly Laboratory Infectious Agent Report - Destroy when no longer needed for reference.

<u>Tuberculosis Interviewer's Sheet -</u> Destroy when computer report is verified.

Preventive Treatment Roster
Cut-off file at the end of the fiscal year;
hold in current files area 5 years; then
destroy.

# V 77-154-A

arranged by fiscal year.

Tuberculosis Control Program Management Evaluation Files Documents relating to evaluating program effectiveness with a view to making program improvements. Included are: forms prescribed by United States Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, Bureau of State Services, Tuberculosis Control Division: CDC 5.62 (Summary Report - Indices of Drug Therapy); CDC 5.61 (Summary Report - Index of Bacteriologic Conversion of Sputum); CDC 5.63 (Summary Report - Completion of Prevention Treatment); CDC 5.4018-5 (Tuberculosis Program Management Report - Contact and Other Infected Persons Under Supervision); CDC 5.4018.1 (Tuberculosis Program Managment Report - Case Register); and CDC 5.1393 (Annual Tuberculosis Statistical Summary). The file is

Cut-off file at the end of the fiscal year; hold in current files area 5 years; then retire to State Archives for permanent retention.



### APPLICATION FOR RECORDS RETENTION SCHEDULE

OFFICE OF THE SECRETARY OF STATE DEPARTMENT OF ARCHIVES AND HISTORY RECORDS MANAGEMENT DIVISION

INSTRUCTIONS: See Publication No. 76—RM—1 for instructions on completing this form. Forward signed original to Department of Archives and History, Records Management Division, 330 Capitol Avenue, Atlanta, Georgia, 30334, Attention: Scheduling Section.

Attention: School	duling Section.	,
FOR AGENCY USE	1. Agency Address of Human Resources	FOR RECORDS MANAGEMENT USE
Application Date	Department of Human Resources Division of Physical Health	Application Number
5/24/77	Community Tuberculosis Control Unit Bldg. 512, Northwest Ga. Regional Hosp.	77-154
Application Number	Rome, Ga. 30161	Date Received Date Completed
DHR-146		MAY 2.7.1977
2. Person to Contact Carl J.	Working Title Schieffelbein Public Health Represent	Telephone Number GIST 231-6155
3. Action Requested		
	ention Schedule; record will continue to accumulate.	
i	esent accumulation; no further accumulation anticipated.	
c. Amend Appl 4. Dates of Series Earliest Latest	5. Records Series Title (followed by title used in office; if d	
Earliest Latest 1963 To d	ate Tuberculosis Control Program Management E	Evaluation Files
	unction What is the function of the Division and the Office in of Physical Health provides direction, coordinealth program responsive to changing disease pat	
pose there are t	hree major activities of the Division involved i	in providing health services to
ł .	Georgia: The Local Health Activity, the Family E	Health Activity and the Commun-
ity Health Activ		
	ty Tuberculosis Control Unit is one facet of the	
	s the reduction of the incidence of tuberculosis	
	who are able to infect others, and through the p	
	iduals who become infected. To accomplish these	
	ed and treated; the persons who come in contact valuated and given preventive treatment if indic	
	ing tuberculosis must be identified, evaluated a	
· -	ection or disease present.	and monitored to see it there
7. Record Series Descrip	tion This file contains the following documents (include form no	umbers and titles, if any):
Documents relating t	Attach samples of the file. o: Evaluating program effectiveness with a view	w to making program improvement
Included are: File is arranged:	Forms prescribed by U.S. Department of Health Public Health Service, Center for Disease Control Division.  CDC 5.61 - Summary Report - Index of Bacteric CDC 5.62 - Summary Report - Indices of Drug CDC 5.63 - Summary Report - Completion of Proceed Services Program Management Infected Persons Under Supervision CDC 5.4018-1 - Tuberculosis Program Management CDC 5.4018-1 - Tuberculosis Program Management CDC 5.1393 - Annual Tuberculosis Statistical By fiscal year with the exception of the Annual Tuberculosis	iologic Conversion of Sputum. Therapy. revention Treatment. ent Report - Contact and Other on. ent Report - Case Register. 1 Summary. nual Tuberculosis Statistical
	Summary (Form CDC 5.1393) which is arranged	by calendar year.
8. Monthly Reference R		- 2
One to six months of		to twenty-four months old;
twenty-five months a		·
9. Annual Rate of Accu Letter-size drawers	mulation of Records; Legal-size drawers; Shelves;	Other (specify) 4 linear inches per
	·	
AR-50-71; Rev. 76	(Over)	

	·			
YES NO		(Place an "X" in the proper colu	<u>mn)</u>	
x	<ul> <li>aIs this the office</li> <li>If not, where is</li> </ul>	ial ∞py of the series? it?		
x	b. Does the series	contain confidential information re	equiring security handling? If yes, cite law	or regulation.
х	c. Is this a vital re-	المستخدم ال		
X		have historical or long term research		* 1 11.4
х		o documents in the file make it he cheduled separately?	cessary to keep the entire file for a long per	riod, could these
X	f. is the informati	on contained in this series ever put	olished? If yes, attach copy.	
X	g. Is the informati	on contained in this series ever and poy. CDC analyses and sur	lyzed and/or recorded in a summarized rep mmarizes nationally.	ort?
x	h. Is there a duplic	cation of this series in your office, of CDC maintains a file co	or in another office or agency? Opy of what we submit for 5 ye	ears.
X			crofilmed?	
X		Lseries result in a computer printo:		<del></del>
11. Retention	on Requirements	The following requires	the series to be kept:	
a. State	Law	years.	d. Audit period	years.
	ute of limitation	years.	e. Administrative need	
c. Fede	eral law		f. Federal retention instructions	years,
2. Approv	ed Disposition Instr	uctions This agency recommend	ds that the file series be cut off at the end o	of each:
	•	Ge Calendar Year; ভু I	Fiscal Year;  Other	
点 Hold 数 Tran	in the current files sfer to local holding sfer to State Record	• ,	Fiscal Year;  Otheryear(s); then nen	
总 Hold 本 Tran 口 Tran 文 Dest 口 Tran	in the current files is fer to local holding is fer to State Record roy, except is fer to State Archiver (Specify)	Galendar Year; Galendar Year, Sarahan	Fiscal Year;  Otheryear(s); then nen ); then	then,
总 Hold 本 Tran 口 Tran X Dest 口 Tran	in the current files is fer to local holding is fer to State Record roy, except is fer to State Archiver (Specify)	Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year, to see for permanent retention.  10818 Statistical Summan	year(s); then  year (s); then  then  year (c); then  year (c); then  year (c); then	then,
点 Hold な Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year; Talendar Year, to see for permanent retention.  10818 Statistical Summan	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
总 Hold 本 Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
总 Hold 本 Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
点 Hold な Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
点 Hold な Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
总 Hold 本 Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
总 Hold 本 Tran 口 Tran X Dest 口 Tran	in the current files isfer to local holding isfer to State Record roy, except isfer to State Archiver (Specify) innual Tubercu	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  ien  ); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra	then,
日 Hold Tran XX Dest	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) Annual Tubercu each calend holding are	areamonth(s)5 garea, holdyear(s); the sisted content of the sisted summan ar year; hold in current	year(s); then  year(s); then  year(s); then  year(s); then  cy (Form CDC 5.1393) - cut off  files area 5 years; then tra  lestroy.	then,
日 Hold Tran  Tran  Tran  Tran  Tran  Tran  Tran  Other	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each calend holding are	areamonth(s)5 area, holdyear(s); the center; holdyear(s) es for permanent retention.  losis Statistical Summanar year; hold in current a; hold 20 years; then designed and the company of the center of	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra  lestroy.	then,
Hold Tran X Dest Tran X Octhor	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each callend holding are	areamonth(s)5 area, holdyear(s); the center; holdyear(s) es for permanent retention.  losis Statistical Summanar year; hold in current a; hold 20 years; then designed and the company of the center of	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra  lestroy.  of the series.	file at end of nsfer to local  Multiple 15-25-7  Date
日 Hold Tran  Tran  Tran  Tran  Tran  Tran  Tran  Other	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each callend holding are	areamonth(s)5 area, hold20year(s); the sess for permanent retention.  losis Statistical Summanar year; hold in current a; hold 20 years; then designed all prior and future accumulations  all prior and future accumulations  areamonth(s)5  year(s)	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  files area 5 years; then tra  lestroy.  of the series.  Records Management Officer (Signature)	file at end of nsfer to local  Solution 1
Hold Tran IX Dest Dest Other Tran IX Tran IX Other IX Oth	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each calend holding are after the structions apply to all Designee (Signature).	areamonth(s)5 area, hold20year(s); the sess for permanent retention.  losis Statistical Summanar year; hold in current a; hold 20 years; then designed all prior and future accumulations  all prior and future accumulations  areamonth(s)5  year(s)	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  -files area 5 years; then tra  lestroy.  of the series.	file at end of nsfer to local  Solution 1
These in Agency Head	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each calend holding are different apply to a structions apply to a structions apply to a structions in para-	areamonth(s)	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  files area 5 years; then tra  lestroy.  of the series.  Records Management Officer (Signature)	file at end of nsfer to local  Solution 1
These in Agency Head Mr. T.	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each calend holding are after to state and the state approved.	areamonth(s)5 area, holdyear(s); the sist Center; holdyear(s) es for permanent retention.  losis Statistical Summar ar year; hold in current a; hold 20 years; then described as all prior and future accumulations  all prior and future accumulations  areamonth(s)  Date	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  files area 5 years; then tra  lestroy.  of the series.  Records Management Officer (Signature)	file at end of nsfer to local  Line 1
These in Recommend graph 12 are	in the current files after to local holding after to State Record roy, except after to State Archiver (Specify) annual Tubercu each calend holding are after to state and the state approved.	areamonth(s)	year(s); then  year(s); then  ry (Form CDC 5.1393) - cut off  files area 5 years; then tra  lestroy.  of the series.  Records Management Officer (Signature)	file at end of nsfer to local  Line 1